









## Camera/Recorder Compatibility

	Function	WV-X8571N/S8531N	WV-X8570N/S8530N	WV-X6533LN/X6533LNS/S6532LN/S6532LNS	WV-X6531N/X6531NS/X6511N	WV-SUD638	WV-S6530N	WV-S6131/S6111/S6130	WV-X4573L/X4573LM	WV-X4171/X4571L/X4571LM	WV-X4172/X4173	WV-X4170	WV-S4556L/S4156/S4156A/S4556LA	WV-S4576L/S4176/S4176A/S4576LA	WV-S4551L/S4551LM/S4151	WV-S4550L/S4550LM/S4150
WJ-NX10K/KG	MJPEG	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX410K/KG	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX510K/KG (V1.00) *20	H.265	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *32	yes (for X8571N)	yes (for X8570N)	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-
	PTZ	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-
WJ-NU10K/KG	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NU20K/KG	MJPEG	no	no	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NU300K/KG	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NU301K/KG (V1.20) *20	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio *32	yes (for X8571N)	yes (for X8570N)	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-
	PTZ	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-
WJ-NX400 (V5.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	no	no	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8571N) *23	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-
WJ-NX300 (V5.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	no	no	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8571N) *23	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-
WJ-NX200 (V5.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	no	no	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8571N) *23	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-
WJ-NX100 (V5.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	no	no	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8571N) *23	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.265	-	-	-	no	no	-	no	no	-	-	-	-	-	-	-
	Audio *8	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
	PTZ	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
WJ-NV200 (V2.60) *14	Motion detection (VMD)	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	[SW598] *21*22	[SW598] *21*22	[SW598]	[SW598] *21*22	[SW598] *21*22	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	no	no	-	-	-	-	-	-	-
	Audio *8	-	-	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	-	-	-	-	-	-	-
	PTZ	-	-	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	-	-	-	-	-	-	-
WJ-ND400K (V6.10) *14	Motion detection (VMD)	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	[X6531/S6530]	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.265	-	-	-	no	no	-	no	no	-	-	-	-	-	-	-
	Audio *8	-	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-
	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	-
WJ-ND300A (V5.20) *4, *14	Motion detection (VMD)	-	-	-	[SC385]*2											









## Camera/Recorder Compatibility

	Function	WV-SFN611L/SFN631L/ SFN611L/SFR631L/ SFV611L/SFV631L/ SFV631LT	WV-SFN531/SFR531/ SFV531	WV-SFN31A/SFN310/ SFN311/SFR310A/ SFV311A/SFV310A	WV-SFN31/SFN310/ SFN311/SFR310/ SFV311/SFV310	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/ SF346/SF342	WV-SF330 series	WV-NW502S	WV-SFV130/SFV110	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW152/SW115	WV-SF135/SF132	WV-SW175/SW172/ ST165/ST162
WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG H.264 H.265 Audio *32 PTZ	[i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33	[i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33	[i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33	[i-PRO(B_FIX)]*33 [i-PRO(B_FIX)]*33 [i-PRO(B_FIX)]*33 no -	[i-PRO(B_FIX)]*33 [i-PRO(B_FIX)]*33 [i-PRO(B_FIX)]*33 no -	[i-PRO(A_FIX)]*33 [i-PRO(A_FIX)]*33 [i-PRO(A_FIX)]*33 no no	[i-PRO(A_PTZ)]*33 [i-PRO(A_PTZ)]*33 [i-PRO(A_PTZ)]*33 no no								
WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.20) *20	MJPEG MPEG4 H.264 H.265 Audio *32 PTZ	[i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33	[i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33	[i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 [i-PRO(C_FIX)]*33 no -	[i-PRO(B_FIX)]*33 [i-PRO(B_FIX)]*33 [i-PRO(B_FIX)]*33 no -	[i-PRO(A_FIX)]*33 [i-PRO(A_FIX)]*33 [i-PRO(A_FIX)]*33 no no	[i-PRO(A_PTZ)]*33 [i-PRO(A_PTZ)]*33 [i-PRO(A_PTZ)]*33 no no									
WJ-NX400 (V5.30) *20	MJPEG MPEG4 H.264 H.265 Audio PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
WJ-NX300 (V5.30) *20	MJPEG MPEG4 H.264 H.265 Audio PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
WJ-NX200 (V5.30) *20	MJPEG MPEG4 H.264 H.265 Audio PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
(Discontinued model)	Audio PTZ	yes *23 -	yes *23 -	yes yes yes -	yes yes yes yes yes	yes *8 -	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes *23 yes *23 yes yes	yes *23 yes *23 yes yes	yes *8 -	-	-	yes *8 yes yes	
WJ-NX100 (V5.30) *20	MJPEG MPEG4 H.264 H.265 Audio PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
(Discontinued model)	Audio PTZ	yes *23 -	yes *23 -	yes yes yes -	yes yes yes yes yes	yes *8 -	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes *23 yes *23 yes yes	yes *23 yes *23 yes yes	yes *8 -	-	-	yes *8 yes yes	
WJ-NV300 (V2.30) *14	MJPEG MPEG4 H.264 H.265 Audio *8 PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
(Discontinued model)	Audio PTZ	yes *23 -	yes *23 -	yes yes yes -	yes yes yes yes yes	yes *8 -	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes *23 yes *23 yes yes	yes *23 yes *23 yes yes	yes *8 -	-	-	yes *8 yes yes	
WJ-NV200 (V2.60) *14	MJPEG MPEG4 H.264 H.265 Audio *8 PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
(Discontinued model)	Motion detection (VMD)	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes		
WJ-ND400K (V6.10) *14	MJPEG MPEG4 H.264 H.265 Audio *8 PTZ	yes -	yes yes yes -	yes yes yes yes yes	yes -	yes yes yes yes yes										
(Discontinued model)	Motion detection (VMD)	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes		
WJ-ND300A (V5.20) *4, *14	MJPEG MPEG4 H.264 H.265 Audio PTZ	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SP102]*2 -	[SF335]*2 -	[SC385]								
(Discontinued model)	Motion detection (VMD)	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	yes yes yes yes yes	[SC385]	
WJ-ND200 (V3.35) *4, *14	MJPEG MPEG4 H.264 H.265 Audio *8*11 PTZ	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SF335]*2 -	[SC385]	
(Discontinued model)	Motion detection (VMD)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

[substitute model or camera classification] : Register as a substitute model or a camera classification.

\*1 : Only for remote PTZ cameras.

\*2 : Support 1920x1080, including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.

\*3 : Support recorder supports only wireless connection.

\*4 : Displaying 16:9 is not supported on a NDR browser.

\*5 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*6 : Support G.726 and 32kbps.

\*7 : When using 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1.8ch.

\*8 : The fish-eye dewarp function is supported by the management software(WV-ASC790).

\*9 : Support maximum bitrate is 14Mbps.

\*10 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

\*11 : Support less than 1280x720 for WV-X651IN

\*12 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

\*13 : Support G.726/32kbps and AAC-LC/48kbps.

\*14 : Support 32kbps capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).

\*15 : Support 640x480

\*16 : Support 1920x1080, 1280x720 and 1280x960. Supported up to 30fps

\*17 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).

\*18 : Support G.726/32kbps

\*19 : Support 640x480 and 320x240.

\*20 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.



## Camera/Recorder Compatibility

	Function	WV-SW174W *3	BB-HCM7 series	BB-HCM5 series	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100
WJ-NX10K/KG WJ-NX410K/KG WJ-NX510K/KG (V1.00) *20	MJPEG	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
	H.264	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *32	no	-	-	-	no	-
	PTZ	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
	Motion detection (VMD)	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
WJ-NU10K/KG WJ-NU20K/KG WJ-NU300K/KG WJ-NU301K/KG (V1.20) *20	MJPEG	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
	MPEG4	-	-	-	-	no	-
	H.264	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *32	no	-	-	-	no	-
	PTZ	[i-PRO(A_PTZ)]*33	-	-	-	yes	yes
WJ-NX400 (V5.30) *20	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	no	-	-	no	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio	yes *8	yes *8	-	yes	yes (ch1) *8	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-NX300 (V5.30) *20	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	no	-	-	no	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio	yes *8	yes *8	-	yes	yes (ch1) *8	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-NX200 (V5.30) *20	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	no	-	-	no	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio	yes *8	yes *8	-	yes	yes (ch1) *8	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-NX100 (V5.30) *20	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	no	-	-	no	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio	yes *8	yes *8	-	-	yes (ch1) *8	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-NV300 (V2.30) *14	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	no	-	-	no	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	-	yes	yes (ch1)	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-NV200 (V2.60) *14	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	yes	-	-	yes	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	yes (ch1)	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-ND400K (V6.10) *14	MJPEG	yes	yes	yes	-	yes	yes
	MPEG4	-	yes	-	-	yes	-
	H.264	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	-	yes	yes (ch1)	-
	PTZ	yes	yes *1	yes *1	-	yes	yes
WJ-ND300A (V5.20) *4, *14	MJPEG	[SC385]	yes	yes	-	yes	[GXE500 ch1]
	MPEG4	-	yes	-	-	yes	-
	H.264	[SC385]	yes	-	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-
	Audio	-	-	-	-	-	-
	PTZ	[SC385]	yes *1	yes *1	-	yes	[GXE500 ch1]
WJ-ND200 (V3.35) *4, *14	Motion detection (VMD)	-	-	-	-	-	-
	MJPEG	[SC385]	yes	yes	-	yes	[GXE500 ch1]
	MPEG4	-	yes	-	-	yes	-
	H.264	[SC385]	yes	-	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-
	Audio *8*11	[SC385]	yes	-	-	yes (ch1)	-
(Discontinued model)	PTZ	[SC385]	yes *1	yes *1	-	yes	[GXE500 ch1]
	Motion detection (VMD)	-	-	-	-	-	-

[substitute model or camera classification] : Register as a substitute model or a camera classification.

\*1 : Only for remote PTZ cameras.

\*2 : Support 1920x1080, including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.

\*3 : Support recorder setting only wireless connection.

\*4 : Displaying 16:9 is not supported on a NDR browser.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Support G.726 and 32kbps.

\*11 : This function is supported only when playing back.

\*12 : Supported up to 30 ips.

\*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.

\*14 : Stream of H.264(3) and H.264(4) are not supported.

\*15 : When using 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1.8ch.

\*17 : The fish-eye dewarp function is supported by the management software(WV-ASM200, WV-ASC970).

\*18 : The fish-eye dewarp function is supported by the management software(WV-ASM200, WV-ASC970).

\*19 : Support maximum bitrate is 14Mbps.

\*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

\*21 : Support less than 1280x720 for WV-X651IN

\*22 : Transmission format must be switched from H.265(factory default) to H.264 by connecting from web browser

\*23 : Support G.726/32kbps and AAC-LC/48kbps.

\*24 : Support 3840x2160, 1920x1080, 1280x720 and 1280x960. Supported up to 30 fps

\*27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).

\*28 : Support G.726/32kbps.

\*29 : Support 640x480 and 320x240.

\*30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.

\*31 : The supported camera firmware is V1.10 or later.

\*32 : Only AAC-LC/48kbps is supported.

\*33 : For the camera classification such as [i-PRO(A\_FIX)] and [i-PRO(B\_FIX)], refer to the following ReadMe of recorder.

WJ-NX10 series ReadMe

WJ-NU series ReadMe

	Fucntion	WV-S35402-F2L/ F2L1/ F2LG	WV-S35302-F2L/ F2L1/ F2LG	WV-X35402-F2L/ F2LM	WV-X35302-F2L/ F2LM	WV-U35401-F2L/ F2LG	WV-U35301-F2L/ F2LG	WV-X66300-Z3S/ Z3LS	WV-S66300-Z3/ Z3L	WV-X86530-Z2/ Z2-1	WV-S85702-F3L/ F3L1	WV-S85402-V2L/ V2L1	WV-U85402-V2L/ V2L1	WV-PM500	WV-S61501-Z1	WV-S65501-Z1/Z1G
<b>WV-ASM300 (V7.00)</b>	MJPEG	-	yes	-	-	-	-	yes	yes	no	no	no	no	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
<b>Direct connection to camera</b>	Audio*23	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
	PTZ	-	-	-	-	-	-	yes	yes	yes	-	-	-	-	yes	yes
	RTP over HTTP	-	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-S61300-ZY/ZYG	WV-S65300-ZY/ZYG	WV-S65301-Z1/Z1G Z1-1/Z1S	WV-S65302-Z2/Z2G Z2-1	WV-U61300-ZY/ZYG	WV-U65300-ZY/ZYG	WV-S65340- Z2N/Z4N/Z2K/Z4K /Z2KJ/Z2G/Z4G/Z2 Z2N1/Z4/Z4N1	WV-S61302-Z4	WV-S25500-F3L/F6L	WV-S22500-F3L/F6L	WV-S15500-F3L/F6L	WV-U61301-Z1/Z2	WV-U65301-Z1/Z1G	WV-U65302-Z2/Z2G	WV-S61301-Z1/Z2
<b>WV-ASM300 (V7.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>Direct connection to camera</b>	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-S71300-F3/ S71300A-F3	WV-S25700- V2L/V2LN/V2LG/V2LN1	WV-S25600- V2L/V2LN/V2LG	WV-S25500- V3L/V3LN/V3LG/V3LN1	WV-S22700- V2L/V2LG/V2L1/V2L1Q	WV-S22600-V2L/V2LG	WV-S22500- V3L/V3LG/V3L1	WV-S15700- V2L/V2LN/V2LK	WV-S15600-V2L/V2LN	WV-S15500- V3L/V3LN/V3LN1/V3LK	WV-U11300-V2	WV-U21300-V2L	WV-S8573L/S8573LG/S8574L/S8574LG	WV-S8563L/S8563LG/S8564L/S8564LG	WV-S8543/S8543G/S8544/S8544LG
<b>WV-ASM300 (V7.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>Direct connection to camera</b>	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-X8571N/S8531N	WV-X8570N/S8530N	WV-X6533LN/X6533LNS/56532LN/S6532LNS	WV-X6531N/X6531NS/X6511N	WV-SUD638	WV-S6530N	WV-S6131/S6111/S6130	WV-X4573L/X4573LM	WV-X4171/X4571L/X4571LM	WV-X4172/X4173	WV-X4170	WV-S4556L/S4156/S4156A/S4556LA	WV-S4576L/S4176/S4176A/S4576LA	WV-S4551L/S4551LM/S4151	WV-S4550L/S4550LM/S4150
<b>WV-ASM300 (V7.00)</b>	MJPEG MPEG4 H.264 H.265	no - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	yes - yes yes	
<b>Direct connection to camera</b>	Audio*23 PTZ	yes (for X8571N) -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -	yes -
<b>WV-ASM200 (V5.10) *24</b>	MJPEG MPEG4 H.264 H.265	- - -	- - -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- Unverified	
<b>Direct connection to camera (Discontinued model)</b>	Audio*8 PTZ	- -	- -	- -	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- Unverified	- Unverified
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG MPEG4 H.264 H.265	- - -	- - -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- -	
<b>Direct connection to camera (Discontinued model)</b>	Audio*8 PTZ	- -	- -	- -	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- -	- -
<b>WV-ASC970 (Ver19.00)</b>	MJPEG MPEG4 H.264 H.265	- - -	- - -	- yes -	- yes -	Unverified -	Unverified -	- Unverified -	- Unverified -	- Unverified -	- Unverified -	- Unverified -	- Unverified -	- Unverified -	- Unverified	
<b>Direct connection to camera (Discontinued model)</b>	Audio*8 PTZ	- -	- -	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- Unverified	- Unverified
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG MPEG4 H.264 H.265	- - -	- - -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- yes -	- -	
<b>(Discontinued model)</b>	Audio*9 PTZ	- -	- -	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- yes	- -	- -
<b>BB-HNP17 (Ver4.06)</b>	RTP over HTTP	- -	- -	- -	- yes	- yes	Unverified -	Unverified -	- -	- -	- -	- -	- -	- -	- -	- -
<b>(Discontinued model)</b>	MJPEG MPEG4 H.264*25 H.265 Audio*8 PTZ	- - -	- - -	- -	- yes	- yes	- yes	- yes	- -	- -	- -	- -	- -	- -	- -	- -
	RTP over HTTP	- -	- -	- -	- yes	- yes	- yes	- yes	- -	- -	- -	- -	- -	- -	- -	- -

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-SFV481/SFN480*7	WV-SW458/SW458MA/SF438/SF448E*7	WV-X2571LN/X2271L	WV-X1571LN	WV-S2572L/S2272L/S1572L	WV-S2570L/S2270L/S1570	WV-SFV781L/SPV781L	WV-X1551LN	WV-S1536L/ L-B/ LN/LN-B/ LNS/ LT/ LTN/WV-S1536LA/ LA-B/ LNA/ LNA-B/ LNSA/ LTA/ LTNA	WV-S1552L	WV-S1550L	WV-S1531LN/S1531LTN/S1531LNS	WV-S1511LN	WV-U1542LA/U1532LA	WV-U1542L	
<b>WV-ASM300 (V7.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*17,*18	yes	yes	yes	yes	yes	yes*18	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
<b>Direct connection to camera</b>	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*17,*18	yes	-	-	-	-	yes*18	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	yes	yes	-	-	-	-	-	yes	-	-	-	yes	yes	-	-	-
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	yes	-	-	-	-
	RTP over HTTP	yes	-	-	-	-	-	-	yes	-	-	-	yes	-	-	-	-
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	yes	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*17,*19	yes	-	-	-	-	yes*19	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	yes	yes	-	-	-	-	yes	-	-	-	-	yes	yes	-	-	-
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	-	-	-	-	-	-	-	-	-	-	yes	yes	-	-	-
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	-	-	-	-	-	yes	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	yes	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	yes*16	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*8	yes	yes	-	-	-	-	-	yes	-	-	-	-	-	-	-	-
	PTZ	yes	yes	-	-	-	-	-	yes*22	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	-	-	-	-	-	yes	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-U1532L	WV-S1136/S1136A	WV-S1132/S1131/S1112/S1111	WV-U1142A/U1132A/U1130A	WV-U1142	WV-U1132/U1130	WV-X2551LN/X2251L	WV-S2536L/ LGN/ LT/ LTN WV-S2536LA/ LNA/ LGA/ LGNA/ LTA/ LTNA	WV-S2552L/S2252L	WV-S2550L/S2250L	WV-S2531LN/S2531LTN	WV-S2511LN	WV-U2542LA/U2540LA/U2532LA/U2530LA	WV-U2542L/U2540L/U2532L/U2530L	WV-S2136/ -B/ G/ G-B/L/ L-B/ LG/ LG-B/WV-S2136A/ A-B/ GA/ GA-B/ LA/ LA-B/ LGA/ LGA-B
<b>WV-ASM300 (V7.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>Direct connection to camera</b>	Audio*23	-	-	yes	-	-	-	yes	yes	yes	yes	yes	-	-	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	yes	-	-	-	-	-	-	yes	-	-	-	-
	RTP over HTTP	-	-	yes	-	-	-	-	-	-	-	yes	-	-	-	-
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	-	-	-	yes	-	-	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	yes	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	-	-	yes	-	-	-	-	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	-	yes	-	-	-	-	-	-	-	-	yes	yes	-	-
	PTZ	-	-	-	yes	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	yes	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-S2236L/ L-B/ LG/ LG-B	WV-S2131L/S2131/ S2130/S2231L	WV-S2111L/S2110/ S2211L	WV-U2142LA/U2140LA/ U2132LA/U2130LA	WV-U2142L/U2140L	WV-U2132L/U2130L	WV-S3531L/S3511L	WV-S3532LM/S3512LM	WV-S3131L/S3111L	V series	WV-SBV131M/SBV111M	WV-SW598/SW598A/ SC588/SC588A	WV-SW397/SW397A/ SW397B/SC387/SC387A	WV-SW396/SW395/ SC386/SC385/SC384	WV-SPW631LT/SPW631L/ SPW611L/SPW611
<b>WV-ASM300 (V7.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *26	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	-	-	yes	yes	yes	yes *27	-	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes *28	-	yes	yes	-	-
<b>Direct connection to camera</b>	Audio*23	yes	yes	yes	-	-	-	yes	yes	yes	yes *29	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	yes *1*29	-	yes	yes	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	-	yes	yes	-	-	-	-	-	-	yes *26	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	-	-	-	-	-	-	yes	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	yes	yes	-	-	-	-	-	-	yes *28	-	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	-	-	-	-	yes *1*29	-	yes	yes	yes	-
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	-	-	yes	yes	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	yes	yes	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	-
	RTP over HTTP	-	yes	yes	-	-	-	-	-	-	-	-	yes	yes	yes	yes
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	-	yes	yes	-	-	-	yes	yes	yes	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	-	-	-	-	yes	yes	yes	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	yes	yes	-	-	-	-	yes	yes	yes	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Fucntion	WV-SPW531AL/SPW311AL	WV-SPW532L/SPW312L	WV-SPW311LH	WV-SW316	WV-SW314	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN310/SPN311 SPN310A/SPN311A	WV-SP509	WV-SP508	WV-SP300 series	WV-SP105/SP102	WV-NP502	WV-SFN611L/SFN631L/ SFR611L/SFR631L/ SFV611L/SFV631L/ SFV631LT	WV-SFN531/SFR531/ SFV531
<b>WV-ASM300 (V7.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera</b>	Audio*23	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>RTP over HTTP</b>	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>RTP over HTTP</b>	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>RTP over HTTP</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>RTP over HTTP</b>	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	yes	-	yes	yes	-	yes	yes	yes	yes	-	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>RTP over HTTP</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	yes	yes	-	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	yes	yes	-	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	-	-	-	yes	-	yes	yes	-	-	yes	-	-	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>(Discontinued model)</b>	RTP over HTTP	yes	yes	-	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980



	Fucntion	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100	BL-VT164/VT164W	BL-VP104/101 VP104W	BL-C2 series C1 series
<b>WV-ASM300 (V7.00)</b>	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
<b>Direct connection to camera</b>	Audio*23	yes	yes (ch1)	-	-	-	-
	PTZ	-	yes	yes	-	-	-
	RTP over HTTP	-	yes	yes	-	-	-
<b>WV-ASM200 (V5.10) *24</b>	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	yes	yes (ch1)	-	-	-	-
	PTZ	-	yes	yes	-	-	-
	RTP over HTTP	-	yes	yes	-	-	-
<b>WV-ASM100 (Ver8.00) *5,*14,*24</b>	MJPEG	-	yes	-	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	-	-	-	-
	H.265	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	yes (ch1)	-	-	-	-
	PTZ	-	yes	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-
<b>WV-ASC970 (Ver19.00)</b>	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
<b>Direct connection to camera (Discontinued model)</b>	Audio*8	-	yes (ch1)	-	-	-	-
	PTZ	-	yes	yes	-	-	-
	RTP over HTTP	-	-	yes	-	-	-
<b>WJ-GXD400 (Ver2.21) *6,*14,*20</b>	MJPEG	-	yes	yes	-	-	-
	MPEG4	-	yes	-	-	-	-
	H.264	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*9	-	yes (ch1)	-	-	-	-
	PTZ	-	-	-	-	-	-
	RTP over HTTP	-	-	yes	-	-	-
<b>BB-HNP17 (Ver4.06)</b>	MJPEG	-	yes	yes	yes	yes	yes
	MPEG4	-	yes	-	-	-	yes
	H.264*25	-	yes	yes	yes	yes	yes *11
	H.265	-	-	-	-	-	-
<b>(Discontinued model)</b>	Audio*8	-	yes (ch1)	-	yes	-	yes
	PTZ	-	yes	yes	-	-	yes *1
	RTP over HTTP	-	yes	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.

\*1 : Only for remote PTZ cameras.

\*5 : WV-ASM100 does not support displaying 16:9.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

\*8 : Supported G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*14 : Streams of H.264(3) and H.264(4) are not supported.

\*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

\*19 : Supported maximum bitrate is 14Mbps.

\*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

\*21 : WV-ASM200 does not support wiper function.

\*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

\*23 : Supported G.726 or AAC.

\*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.

\*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.

\*26 : Support VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.

\*27 : Restrictions is still under study. Will be updated.

\*28 : Support G.726 for WV-2530LK/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.

\*29 : Support WV-CU950/CU980

	Function	WJ-NX310K/KG WJ-NX410K/KG WJ-NX510K/KG	WJ-NU101K/KG WJ-NU201K/KG WJ-NU300K/KG WJ-NU301K/KG	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-HD616/HD716
Via Recorder	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio	Live/Playback(Receive)(*11)	Live/Playback(Receive)(*11)	Live/Playback(Receive)(*10)	Live/Playback(Receive)(*10)	Live/Playback(Receive)(*10)	Live/Playback(Receive)(*8)	Live/Playback(Receive)(*8)	Live/Playback(Receive)(*8)	-	Live/Playback(Receive)(*8)
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	VMD	yes	yes	yes	yes	yes	yes	yes	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	yes
Via Recorder	MJPEG	-	-	-	-	-	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	-	-	-	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Live/Playback(Receive)
	PTZ	-	-	-	-	-	yes	yes	yes	yes	yes
	VMD	-	-	-	-	-	yes	yes	yes	-	yes
	RTP over HTTP	-	-	-	-	-	yes	yes	yes	-	yes
Via Recorder	MJPEG	-	-	-	-	-	-	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	-	-	-	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	-	Live/Playback(Receive)
	PTZ	-	-	-	-	-	-	yes	yes	yes	yes
	VMD	-	-	-	-	-	-	yes	yes	-	yes
	RTP over HTTP	-	-	-	-	-	-	yes	yes	-	yes
Via Recorder	MJPEG	-	-	yes	-	-	yes	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	yes	-	-	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	Live/Playback(Receive)	-	Live/Playback(Receive)	Playback(Receive)	Playback(Receive)	-	Playback(Receive)
	PTZ	-	-	yes	-	-	yes	yes	yes	-	yes
	VMD	-	-	yes	-	-	yes	yes	yes	-	yes
	RTP over HTTP	-	-	yes	-	-	yes	yes	yes	-	yes
Via Recorder	MJPEG	-	-	-	-	-	-	-	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	yes	-	-	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	Live/Playback(Receive)	-	Live/Playback(Receive)	Playback(Receive)	Playback(Receive)	-	Playback(Receive)
	PTZ	-	-	yes	-	-	yes	yes	yes	-	yes
	VMD	-	-	yes	-	-	yes	yes	yes	-	yes
	RTP over HTTP	-	-	yes	-	-	yes	yes	yes	-	yes
Via Recorder	MJPEG	-	-	-	-	-	-	-	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	yes	yes	-
	H.264	-	-	yes	-	-	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	-	-	Playback(Receive)	-	Playback(Receive)
	PTZ	-	-	-	-	-	-	-	yes	-	yes
	VMD	-	-	-	-	-	-	-	yes	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.

\*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

\*8 : Supported only G.726.

\*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

\*10 : Supported G.726 or AAC.

\*11 : Supported only AAC.

	Function	WJ-HD300 (Discontinued model)
<b>WV-ASM300 (V7.00)</b> <i>Via Recorder</i>	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio	-
	PTZ	yes
	VMD	-
	RTP over HTTP	-
<b>WV-ASM200 (V5.10)</b> <i>Via Recorder</i> <i>(Discontinued model)</i>	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*8	-
	PTZ	yes
	VMD	-
	RTP over HTTP	-
<b>WV-ASM100 (Ver8.00)</b> <i>Via Recorder</i> <i>(Discontinued model)</i>	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*8	-
	PTZ	yes
	VMD	-
	RTP over HTTP	-
<b>WV-ASM970 (Ver19.00)</b> <i>(Discontinued model)</i>	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*8	-
	PTZ	yes
	VMD	-
	RTP over HTTP	-
<b>WJ-GXD400 (Ver2.21) *6</b> <i>(Discontinued model)</i>	MJPEG	-
	MPEG4	-
	H.264	-
	H.265	-
	Original	yes
	Audio*9	-
	PTZ	yes
	VMD	-
	RTP over HTTP	-